

THGT/4-500-0,75, THGT/4-560-5/-0,75, THGT/4-560-5/-1,1,  
THGT/4-560-5/-1,5, THGT/4-630-5/-0,75, THGT/4-630-5/-1,1,  
THGT/4-630-5/-1,5, THGT/4-630-5/-2,2, THGT/4-630-5/-3,  
THGT/4-710-7/-1,1, THGT/4-710-7/-1,5 и др.

## Промышленные осевые вентиляторы для встраивания в вентиляционные каналы серии THGT. Технические характеристики.



По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72  
Астана +7(7172)727-132  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Казань (843)206-01-48

Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81  
Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41

Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78

Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93



### Construction

Axial-flow fan for duct mounting with casing in welded steel sheet, hot dip galvanized. Impellers in die-cast aluminium with adjustable blades dynamically balanced according to ISO1940. Max working temperature +70°C, certified for 400°C/2h..

400°C/2h  
CERTIFICATE CTICM France  
No PV 95A229, 88G166

### Motor

220-240/380-420V, 50 Hz (380-420/660-690V over 3kW) three-phase or 220-240V, 50Hz single-phase asynchronous motor with squirrel cage rotor, in accordance with IEC72 and IEC34-1. Insulation class H, enclosure IP55. Special voltage or frequency, improved enclosure IP65, explosion proof motor may be supplied on request.

Wiring diagram, see page 179.

### Technical specification - 4-pole

| Type               | Speed<br>rpm | Motor<br>power<br>kW | Maximum current<br>A |      | Weight<br>kg<br>C/L |
|--------------------|--------------|----------------------|----------------------|------|---------------------|
|                    |              |                      | 230V                 | 400V |                     |
| THGT/4-500-0.75    | 1350         | 0,75                 | 3,8                  | 2,2  | 33/35               |
| THGT/4-560-5/-0,75 | 1350         | 0,75                 | 3,8                  | 2,2  | 41/46               |
| THGT/4-560-5/-1,1  | 1400         | 1,1                  | 4,7                  | 2,7  | 43/48               |
| THGT/4-560-5/-1,5  | 1405         | 1,5                  | 6,6                  | 3,8  | 45/50               |
| THGT/4-630-5/-0.75 | 1350         | 0,75                 | 3,8                  | 2,2  | 41/46               |
| THGT/4-630-5/-1,1  | 1400         | 1,1                  | 4,7                  | 2,7  | 43/48               |
| THGT/4-630-5/-1,5  | 1405         | 1,5                  | 6,6                  | 3,8  | 45/50               |
| THGT/4-630-5/-2,2  | 1410         | 2,2                  | 9,5                  | 5,5  | 57/62               |
| THGT/4-630-5/-3    | 1410         | 3                    | 13,0                 | 7,5  | 68/73               |
| THGT/4-710-7/-1,1  | 1400         | 1,1                  | 4,7                  | 2,7  | 47/52               |
| THGT/4-710-7/-1,5  | 1405         | 1,5                  | 6,6                  | 3,8  | 49/54               |
| THGT/4-710-7/-2,2  | 1410         | 2,2                  | 9,5                  | 5,5  | 61/66               |
| THGT/4-710-7/-3    | 1410         | 3                    | 13,0                 | 7,5  | 72/77               |
| THGT/4-710-7/-4    | 1415         | 4                    | -                    | 9,5  | 73/78               |
| THGT/4-710-7/-5,5  | 1430         | 5,5                  | -                    | 12,5 | 101/106             |
| THGT/4-800-3/-1,1  | 1400         | 1,1                  | 4,7                  | 2,7  | 45/50               |
| THGT/4-800-3/-1,5  | 1405         | 1,5                  | 6,6                  | 3,8  | 47/52               |
| THGT/4-800-3/-2,2  | 1410         | 2,2                  | 9,5                  | 5,5  | 59/64               |
| THGT/4-800-3/-3    | 1410         | 3                    | 13,0                 | 7,5  | 70/75               |
| THGT/4-800-3/-4    | 1415         | 4                    | -                    | 9,5  | 71/76               |
| THGT/4-800-3/-5,5  | 1430         | 5,5                  | -                    | 12,5 | 99/104              |
| THGT/4-800-6/-1,5  | 1405         | 1,5                  | 6,6                  | 3,8  | 52/57               |
| THGT/4-800-6/-2,2  | 1410         | 2,2                  | 9,5                  | 5,5  | 64/69               |
| THGT/4-800-6/-3    | 1410         | 3                    | 13,0                 | 7,5  | 75/80               |
| THGT/4-800-6/-4    | 1415         | 4                    | -                    | 9,5  | 76/81               |
| THGT/4-800-6/-5,5  | 1430         | 5,5                  | -                    | 12,5 | 104/109             |
| THGT/4-800-6/-7,5  | 1440         | 7,5                  | -                    | 16   | 108/113             |

| Type               | Speed<br>rpm | Motor<br>power<br>kW | Maximum current<br>A |      | Weight<br>kg<br>C/L |
|--------------------|--------------|----------------------|----------------------|------|---------------------|
|                    |              |                      | 230V                 | 400V |                     |
| THGT/4-800-9/-2,2  | 1410         | 2,2                  | 9,5                  | 5,5  | 69/74               |
| THGT/4-800-9/-3    | 1410         | 3                    | 13                   | 7,5  | 80/85               |
| THGT/4-800-9/-4    | 1415         | 4                    | -                    | 9,5  | 81/86               |
| THGT/4-800-9/-5,5  | 1430         | 5,5                  | -                    | 12,5 | 109/114             |
| THGT/4-800-9/-7,5  | 1440         | 7,5                  | -                    | 16   | 113/118             |
| THGT/4-900-3/-2,2  | 1410         | 2,2                  | 9,5                  | 5,5  | 69/77               |
| THGT/4-900-3/-3    | 1410         | 3                    | 13                   | 7,5  | 80/88               |
| THGT/4-900-3/-4    | 1415         | 4                    | -                    | 9,5  | 81/89               |
| THGT/4-900-3/-5,5  | 1430         | 5,5                  | -                    | 12,5 | 109/117             |
| THGT/4-900-3/-7,5  | 1440         | 7,5                  | -                    | 16   | 113/121             |
| THGT/4-900-3/-11   | 1450         | 11                   | -                    | 22,5 | 163/171             |
| THGT/4-900-6/-3    | 1410         | 3                    | 13                   | 7,5  | 86/94               |
| THGT/4-900-6/-4    | 1415         | 4                    | -                    | 9,5  | 87/95               |
| THGT/4-900-6/-5,5  | 1430         | 5,5                  | -                    | 12,5 | 115/123             |
| THGT/4-900-6/-7,5  | 1440         | 7,5                  | -                    | 16   | 119/127             |
| THGT/4-900-6/-11   | 1450         | 11                   | -                    | 22,5 | 169/177             |
| THGT/4-900-6/-15   | 1450         | 15                   | -                    | 29   | 179/187             |
| THGT/4-900-9/-4    | 1415         | 4                    | -                    | 9,5  | 93/101              |
| THGT/4-900-9/-5,5  | 1430         | 5,5                  | -                    | 12,5 | 121/129             |
| THGT/4-900-9/-7,5  | 1440         | 7,5                  | -                    | 16   | 125/133             |
| THGT/4-900-9/-11   | 1450         | 11                   | -                    | 22,5 | 175/183             |
| THGT/4-900-9/-15   | 1450         | 15                   | -                    | 29   | 185/193             |
| THGT/4-900-9/-18,5 | 1455         | 18,5                 | -                    | 36   | 217/225             |

### Technical specification - 4-pole

| Type                | Speed<br>rpm | Motor<br>power<br>kW | Maximum current<br>A |      | Weight<br>kg<br>C/L |
|---------------------|--------------|----------------------|----------------------|------|---------------------|
|                     |              |                      | 230V                 | 400V |                     |
| THGT/4-1000-3/-3    | 1410         | 3                    | -                    | 13,0 | 75/86               |
| THGT/4-1000-3/-4    | 1415         | 4                    | -                    | 9,5  | 87/97               |
| THGT/4-1000-3/-5,5  | 1430         | 5,5                  | -                    | 12,5 | 115/125             |
| THGT/4-1000-3/-7,5  | 1440         | 7,5                  | -                    | 16,0 | 119/129             |
| THGT/4-1000-3/-11   | 1450         | 11                   | -                    | 22,5 | 169/179             |
| THGT/4-1000-3/-15   | 1450         | 15                   | -                    | 29,0 | 179/189             |
|                     |              |                      |                      |      |                     |
| THGT/4-1000-6/-4    | 1415         | 4                    | -                    | 9,5  | 94/104              |
| THGT/4-1000-6/-5,5  | 1430         | 5,5                  | -                    | 12,5 | 122/132             |
| THGT/4-1000-6/-7,5  | 1440         | 7,5                  | -                    | 16,0 | 126/136             |
| THGT/4-1000-6/-11   | 1450         | 11                   | -                    | 22,5 | 176/186             |
| THGT/4-1000-6/-15   | 1450         | 15                   | -                    | 29,0 | 186/196             |
| THGT/4-1000-6/-18,5 | 1455         | 18,5                 | -                    | 36,0 | 218/228             |
| THGT/4-1000-6/-22   | 1460         | 22                   | -                    | 42,0 | 229/239             |
|                     |              |                      |                      |      |                     |
| THGT/4-1000-9/-5,5  | 1430         | 5,5                  | -                    | 12,5 | 129/139             |
| THGT/4-1000-9/-7,5  | 1440         | 7,5                  | -                    | 16,0 | 133/143             |
| THGT/4-1000-9/-11   | 1450         | 11                   | -                    | 22,5 | 183/193             |
| THGT/4-1000-9/-15   | 1450         | 15                   | -                    | 29,0 | 193/203             |
| THGT/4-1000-9/-18,5 | 1455         | 18,5                 | -                    | 36,0 | 225/235             |
| THGT/4-1000-9/-22   | 1460         | 22                   | -                    | 42,0 | 236/246             |

| Type                | Speed<br>rpm | Motor<br>power<br>kW | Maximum current<br>A |      | Weight<br>kg<br>C/L |
|---------------------|--------------|----------------------|----------------------|------|---------------------|
|                     |              |                      | 230V                 | 400V |                     |
| THGT/4-1250-3/-7,5  | 1440         | 7,5                  | -                    | 16,0 | 138/152             |
| THGT/4-1250-3/-11   | 1450         | 11                   | -                    | 22,5 | 188/202             |
| THGT/4-1250-3/-15   | 1450         | 15                   | -                    | 29,0 | 198/212             |
| THGT/4-1250-3/-18,5 | 1455         | 18,5                 | -                    | 36,0 | 230/244             |
| THGT/4-1250-3/-22   | 1460         | 22                   | -                    | 42,0 | 241/255             |
| THGT/4-1250-3/-30   | 1460         | 30                   | -                    | 60,0 | 323/337             |
|                     |              |                      |                      |      |                     |
| THGT/4-1250-6/-7,5  | 1440         | 7,5                  | -                    | 16,0 | 148/162             |
| THGT/4-1250-6/-11   | 1450         | 11                   | -                    | 22,5 | 198/212             |
| THGT/4-1250-6/-15   | 1450         | 15                   | -                    | 29,0 | 208/222             |
| THGT/4-1250-6/-18,5 | 1455         | 18,5                 | -                    | 36,0 | 240/254             |
| THGT/4-1250-6/-22   | 1460         | 22                   | -                    | 42,0 | 251/265             |
| THGT/4-1250-6/-30   | 1460         | 30                   | -                    | 60,0 | 333/347             |
| THGT/4-1250-6/-37   | 1470         | 37                   | -                    | 75,0 | 418/432             |

### Technical specification - 6-pole

| Type               | Speed<br>rpm | Motor<br>power<br>kW | Maximum current<br>A |      | Weight<br>kg<br>C/L |
|--------------------|--------------|----------------------|----------------------|------|---------------------|
|                    |              |                      | 230V                 | 400V |                     |
| THGT/6-560-5/-0,55 | 930          | 0,55                 | 2,9                  | 1,7  | 42/47               |
|                    |              |                      |                      |      |                     |
| THGT/6-630-5/-0,55 | 930          | 0,55                 | 2,9                  | 1,7  | 42/47               |
| THGT/6-630-5/-0,75 | 945          | 0,75                 | 3,8                  | 2,2  | 44/49               |
| THGT/6-630-5/-1,1  | 945          | 1,1                  | 5,2                  | 3,0  | 51/56               |
|                    |              |                      |                      |      |                     |
| THGT/6-710-7/-0,55 | 930          | 0,55                 | 2,9                  | 1,7  | 46/51               |
| THGT/6-710-7/-0,75 | 945          | 0,75                 | 3,8                  | 2,2  | 48/53               |
| THGT/6-710-7/-1,1  | 945          | 1,1                  | 5,2                  | 3,0  | 55/60               |
| THGT/6-710-7/-1,5  | 945          | 1,5                  | 6,9                  | 4,0  | 57/62               |
|                    |              |                      |                      |      |                     |
| THGT/6-800-3/-0,55 | 930          | 0,55                 | 2,9                  | 1,7  | 44/49               |
| THGT/6-800-3/-0,75 | 945          | 0,75                 | 3,8                  | 2,2  | 46/51               |
| THGT/6-800-3/-1,1  | 945          | 1,1                  | 5,2                  | 3,0  | 53/58               |
| THGT/6-800-3/-1,5  | 945          | 1,5                  | 6,9                  | 4,0  | 55/60               |
|                    |              |                      |                      |      |                     |
| THGT/6-800-6/-0,55 | 930          | 0,55                 | 2,9                  | 1,7  | 49/54               |
| THGT/6-800-6/-0,75 | 945          | 0,75                 | 3,8                  | 2,2  | 51/56               |
| THGT/6-800-6/-1,1  | 945          | 1,1                  | 5,2                  | 3,0  | 58/63               |
| THGT/6-800-6/-1,5  | 945          | 1,5                  | 6,9                  | 4,0  | 60/65               |
| THGT/6-800-6/-2,2  | 950          | 2,2                  | 10,4                 | 6,0  | 72/77               |
|                    |              |                      |                      |      |                     |
| THGT/6-800-9/-0,75 | 945          | 0,75                 | 3,8                  | 2,2  | 56/61               |
| THGT/6-800-9/-1,1  | 945          | 1,1                  | 5,2                  | 3,0  | 63/68               |
| THGT/6-800-9/-1,5  | 945          | 1,5                  | 6,9                  | 4,0  | 65/70               |
| THGT/6-800-9/-2,2  | 950          | 2,2                  | 10,4                 | 6,0  | 77/82               |
| THGT/6-800-9/-3    | 950          | 3                    | 12,1                 | 7,0  | 104/109             |

| Type               | Speed<br>rpm | Motor<br>power<br>kW | Maximum current<br>A |      | Weight<br>kg<br>C/L |
|--------------------|--------------|----------------------|----------------------|------|---------------------|
|                    |              |                      | 230V                 | 400V |                     |
| THGT/6-900-3/-1,1  | 945          | 1,1                  | 5,2                  | 3,0  | 63/71               |
| THGT/6-900-3/-1,5  | 945          | 1,5                  | 6,9                  | 4,0  | 65/73               |
| THGT/6-900-3/-2,2  | 950          | 2,2                  | 10,4                 | 6,0  | 77/85               |
| THGT/6-900-3/-3    | 950          | 3                    | 12,1                 | 7,0  | 104/112             |
|                    |              |                      |                      |      |                     |
| THGT/6-900-6/-1,1  | 945          | 1,1                  | 5,2                  | 3,0  | 69/77               |
| THGT/6-900-6/-1,5  | 945          | 1,5                  | 6,9                  | 4,0  | 71/79               |
| THGT/6-900-6/-2,2  | 950          | 2,2                  | 10,4                 | 6,0  | 83/91               |
| THGT/6-900-6/-3    | 950          | 3                    | 12,1                 | 7,0  | 110/118             |
| THGT/6-900-6/-4    | 955          | 4                    | -                    | 10,0 | 127/135             |
|                    |              |                      |                      |      |                     |
| THGT/6-900-9/-1,1  | 945          | 1,1                  | 5,2                  | 3,0  | 75/83               |
| THGT/6-900-9/-1,5  | 945          | 1,5                  | 6,9                  | 4,0  | 77/85               |
| THGT/6-900-9/-2,2  | 950          | 2,2                  | 10,4                 | 6,0  | 89/97               |
| THGT/6-900-9/-3    | 950          | 3                    | 12,1                 | 7,0  | 116/124             |
| THGT/6-900-9/-4    | 955          | 4                    | -                    | 10,0 | 133/141             |
| THGT/6-900-9/-7,5  | 960          | 7,5                  | -                    | 16,0 | 165/173             |
|                    |              |                      |                      |      |                     |
| THGT/6-1000-3/-1,1 | 945          | 1,1                  | 5,2                  | 3,0  | 69/79               |
| THGT/6-1000-3/-1,5 | 945          | 1,5                  | 6,9                  | 4,0  | 71/81               |
| THGT/6-1000-3/-2,2 | 950          | 2,2                  | 10,4                 | 6,0  | 83/93               |
| THGT/6-1000-3/-3   | 950          | 3                    | 12,1                 | 7,0  | 110/120             |
| THGT/6-1000-3/-4   | 955          | 4                    | -                    | 10,0 | 127/137             |



## Technical specification - 6-pole

| Type               | Speed<br>rpm | Motor<br>power<br>kW | Maximum current<br>A |      | Weight<br>kg<br>C/L |
|--------------------|--------------|----------------------|----------------------|------|---------------------|
|                    |              |                      | 230V                 | 400V |                     |
| THGT/6-1000-6/-1,1 | 945          | 1,1                  | 5,2                  | 3,0  | 79/86               |
| THGT/6-1000-6/-1,5 | 945          | 1,5                  | 6,9                  | 4,0  | 78/88               |
| THGT/6-1000-6/-2,2 | 950          | 2,2                  | 10,4                 | 6,0  | 90/100              |
| THGT/6-1000-6/-3   | 950          | 3                    | 12,1                 | 7,0  | 117/127             |
| THGT/6-1000-6/-4   | 955          | 4                    | -                    | 10,0 | 134/144             |
| THGT/6-1000-6/-7,5 | 960          | 7,5                  | -                    | 16,0 | 166/176             |
| THGT/6-1000-9/-2,2 | 950          | 2,2                  | 10,4                 | 6,0  | 97/107              |
| THGT/6-1000-9/-3   | 950          | 3                    | 12,1                 | 7,0  | 124/134             |
| THGT/6-1000-9/-4   | 955          | 4                    | -                    | 10,0 | 141/151             |
| THGT/6-1000-9/-7,5 | 960          | 7,5                  | -                    | 16,0 | 173/183             |

| Type                | Speed<br>rpm | Motor<br>power<br>kW | Maximum current<br>A |      | Weight<br>kg<br>C/L |
|---------------------|--------------|----------------------|----------------------|------|---------------------|
|                     |              |                      | 230V                 | 400V |                     |
| THGT/6-1250-3/-2,2  | 950          | 2,2                  | 10,4                 | 6,0  | 102/116             |
| THGT/6-1250-3/-3    | 950          | 3                    | 12,1                 | 7,0  | 129/143             |
| THGT/6-1250-3/-4    | 955          | 4                    | -                    | 10,0 | 146/160             |
| THGT/6-1250-3/-7,5  | 960          | 7,5                  | -                    | 16,0 | 178/192             |
| THGT/6-1250-3/-11   | 960          | 11                   | -                    | 23,0 | 198/212             |
| THGT/6-1250-6/-4    | 955          | 4                    | -                    | 10,0 | 156/170             |
| THGT/6-1250-6/-7,5  | 960          | 7,5                  | -                    | 16,0 | 188/202             |
| THGT/6-1250-6/-11   | 960          | 11                   | -                    | 23,0 | 208/222             |
| THGT/6-1250-6/-15   | 965          | 15                   | -                    | 30,0 | 251/265             |
| THGT/6-1250-9/-7,5  | 960          | 7,5                  | -                    | 16,0 | 198/212             |
| THGT/6-1250-9/-11   | 960          | 11                   | -                    | 23,0 | 218/232             |
| THGT/6-1250-9/-15   | 965          | 15                   | -                    | 30,0 | 261/275             |
| THGT/6-1250-9/-18,5 | 970          | 18,5                 | -                    | 37,0 | 326/340             |
| THGT/6-1250-9/-22   | 970          | 22                   | -                    | 49,0 | 383/397             |

## Model numbering system

**THGT / 6 - 1000 - 6/8/B - 1.5**



## Dimensions in mm

| THGT/4-500 |  | THGT-630 - THGT-1250 (motor 22kW) |  | THGT-630 - THGT-1250 (motor 30-37 kW) |  |
|------------|--|-----------------------------------|--|---------------------------------------|--|
|            |  |                                   |  |                                       |  |

| Type      | A              |            | ØB   | C max. | D    | ØE   | ØF | N* |
|-----------|----------------|------------|------|--------|------|------|----|----|
|           | Motor<br>22 kW | 30 - 37 kW |      |        |      |      |    |    |
| THGT-500  | 180            | -          | 500  | 390    | 560  | 595  | 12 | 12 |
| THGT-560  | 250            | 600        | 560  | 434    | 620  | 664  | 12 | 12 |
| THGT-630  | 380            | 600        | 630  | 622    | 690  | 734  | 12 | 12 |
| THGT-710  | 270            | 650        | 710  | 512    | 770  | 815  | 12 | 16 |
| THGT-800  | 380            | 650        | 800  | 622    | 860  | 905  | 12 | 16 |
| THGT-900  | 420            | 750        | 900  | 737    | 970  | 1005 | 15 | 16 |
| THGT-1000 | 450            | 780        | 1000 | 767    | 1070 | 1105 | 15 | 16 |
| THGT-1250 | 500            | 1150       | 1250 | 985    | 1320 | 1355 | 15 | 20 |

## Capacity diagram

Ask for information

**По вопросам продаж и поддержки обращайтесь:**

Архангельск (8182)63-90-72  
Астана +7(7172)727-132  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Казань (843)206-01-48

Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81  
Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41

Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78

Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93